

# PTZ CAMERAS AND UNITS, BRACKETS



## UPTWBA

### WALL MOUNT BRACKET

Made of die-cast aluminum

Epoxy polyester powder painting, RAL9002 colour

Wall bracket with internal cable channel

To combine with PTCC1 pole mount or WCWGC corner mount adaptors for the installation on several surfaces



UPTWBA

## UPTWBTAB

### PARAPET BRACKET

Made of die-cast aluminum

Epoxy polyester powder painting, RAL9002 colour

Internal cable management



UPTWBTAB

## PTCC1

### POLE MOUNT ADAPTOR

Made of aluminium

For pole diameters: from 80mm (3.1in) up to 150mm (5.9in)

Load rating: 50kg (110lb)



PTCC1

## WCWGC

### CORNER MOUNT ADAPTOR

Made of steel

Load rating: 50kg (110lb)



WCWGC

## UCCMA

### CEILING BRACKET FOR UPSIDE DOWN MOUNTING AND WORKING OF ULISSE COMPACT

Made of galvanized and painted steel

Safety cord in AISI316L stainless steel

Internal cable management



ULISSE COMPACT+UCCMA

## TECHNICAL DATA

### UPTWBA

#### MECHANICAL

Made of die-cast aluminum

Epoxy polyester powder painting, RAL9002 colour

Wall bracket with internal cable channel

To combine with PTCC1 pole mount or WCWGC corner mount adapters for the installation on several surfaces

Unit weight: 3.1kg (6.6lb)

#### PART NUMBER

UPTWBA Wall bracket with internal cable channel

#### PACKAGE

Model Number	Weight	Dimensions (WxHxL)	Master carton
UPTWBA	3.5kg (7.7lb)	19x16x60cm (7.5x6.3x23.6in)	-

### UPTWBTAB

#### MECHANICAL

Made of die-cast aluminum

Epoxy polyester powder painting, RAL9002 colour

Internal cable management

Unit weight: 1.6kg (3.5lb)

#### PART NUMBER

UPTWBTAB Parapet bracket with internal cable channel

#### PACKAGE

Model Number	Weight	Dimensions (WxHxL)	Master carton
UPTWBTA	1.6kg (3.5lb)	19x19x19cm (7.5x7.5x7.5in)	12

### PTCC1

#### MECHANICAL

Made of aluminium

For pole diameters: 80÷150mm (3÷5.9in)

Load rating: 50kg (110lb)

Unit weight: 2.6kg (5.7lb)

#### PART NUMBER

PTCC1 Pole mount adaptor

#### PACKAGE

Model Number	Weight	Dimensions (WxHxL)	Master carton
PTCC1	2.8kg (6.2lb)	14x25.5x20cm (5.5x10x7.9in)	8

### WCWGC

#### MECHANICAL

Made of steel

Load rating: 50kg (110lb)

Unit weight: 2.2kg (4.8lb)

#### PART NUMBER

WCWGC Corner mount adaptor

#### PACKAGE

Model Number	Weight	Dimensions (WxHxL)	Master carton
WCWGC	2.6kg (5.7lb)	24x32x24.5cm (9.4x12.6x9.6in)	8

### UCCMA

#### GENERAL

Internal cable management

#### MECHANICAL

Made of galvanized and painted steel

Safety cord in AISI316L stainless steel

Unit weight: 6.4kg (14lb)

#### CERTIFICATIONS

EAC certification

#### PART NUMBER





UCCMA Ceiling bracket for upside down mounting and working of ULISSE COMPACT

#### PACKAGE


Model Number	Weight	Dimensions (WxHxL)	Master carton
UCCMA	6.8kg (15lb)	35x37x12.5cm	-

# TECHNICAL DRAWINGS



The dimensions of the drawings are in millimetres.




UPTWBA




UPTWBTAB



PTCC1



WCGC



UCCMA